

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** PP300
- **Article number:** 6517XX
- **UFI:** YRN5-70NY-D00H-W3XJ
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Cleaning agent/ Cleaner
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Chemische Fabrik Dr. Stöcker GmbH & Co. KG
Gewerbstrasse 19-25
D-55546 Pfaffen-Schwabenheim
+49 (0)6701 911780
- **Further information obtainable from:**
Safety Department
sicherheit@dr-stoecker.de
- **1.4 Emergency telephone number:**
INTERNATIONAL: +49 (0) 6132 / 84463 (GBK Gefahrgut Büro GmbH, Ingelheim)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**
(R)-p-mentha-1,8-diene
Sulfonic acids, C14-17-sec-alkane, sodium salt
2-methyl-2H-isothiazol-3-one
Alcohols, C12-14 (even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)
alpha-Pinene
dl-Citronellol
Citronellal
- **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.

(Contd. on page 2)

DE-EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 1)

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards**Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures· **Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 97489-15-1 EC number: 307-055-2 Reg.nr.: 01-2119489924-20	Sulfonic acids, C14-17-sec-alkane, sodium salt Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 10% Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 10 % ≤ C < 15 %	≥10- <15%
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16	Alcohols, C12-14 (even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10% Eye Irrit. 2; H319: 5 % ≤ C < 10 %	≥5- <10%
CAS: 25265-71-8 EINECS: 246-770-3 Reg.nr.: 01-2119456811-38	oxydipropanol substance with a Community workplace exposure limit	≥0- ≤2,5%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≥1- <2,5%
CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28	ethanediol STOT RE 2, H373; Acute Tox. 4, H302	≤2,5%
CAS: 80-56-8 EINECS: 201-291-9 Reg.nr.: 01-2119519223-49	alpha-Pinene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317	≥0,1- <0,25%

(Contd. on page 3)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 2)

CAS: 106-22-9 EINECS: 203-375-0 Reg.nr.: 01-2119453995-23	<i>dl-Citronellol</i> Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥0,1-<0,25%
CAS: 99-87-6 EINECS: 202-796-7	<i>p-cymene</i> Flam. Liq. 3, H226; Acute Tox. 3, H331; Repr. 2, H361f; Asp. Tox. 1, H304; Aquatic Chronic 2, H411 ATE: LC50/4 h inhalative: 3 mg/l	≥0-<0,25%
CAS: 106-23-0 EINECS: 203-376-6	<i>Citronellal</i> Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥0,1-<0,25%
CAS: 2682-20-4 EINECS: 220-239-6	<i>2-methyl-2H-isothiazol-3-one</i> Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥0,0015 %	≥0,0015-<0,025%
CAS: 55965-84-9	<i>reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)</i> Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 %	≥0,00025-<0,0015%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 **Special hazards arising from the substance or mixture** No further relevant information available.

· 5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 3)

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Dilute with plenty of water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:**

Protect from frost.

Protect from heat and direct sunlight.

Storage class: 10**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****25265-71-8 oxydipropanol**AGW (Germany) Long-term value: 100 E mg/m³
2(II);DFG, Y, 11**5989-27-5 (R)-p-mentha-1,8-diene**AGW (Germany) Long-term value: 28 mg/m³, 5 ppm
4(II);DFG, H, Sh, Y**107-21-1 ethanediol**AGW (Germany) Long-term value: 26 mg/m³, 10 ppm
2(I);DFG, EU, H, Y, 11

(Contd. on page 5)

DE-EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 4)

2682-20-4 2-methyl-2H-isothiazol-3-one

MAK (Germany) vgl. Abschn. IIb und Xc

55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)MAK (Germany) Long-term value: 0,2E mg/m³
vgl. Abschn. Xc**· DNELs****97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salt**

Oral	Long term - systemic effects, general population	7,1 mg/kg bw/day (general population)
Dermal	Acute - local effects, worker	2,8 mg/cm ² (worker)
	Long-term - systemic effects, worker	5 mg/kg bw/day (worker)
	Long-term - local effects, worker	2,8 mg/cm ² (worker)
	Acute - local effects, general population	2,8 mg/cm ² (general population)
	Long term - systemic effects, general population	3,57 mg/kg bw/day (general population)
Inhalative	Long term - local effects, general population	2,8 mg/cm ² (general population)
	Long-term - systemic effects, worker	35 mg/m ³ (worker)
	Long term - systemic effects, general population	12,4 mg/m ³ (general population)

68891-38-3 Alcohols, C12-14 (even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts

Oral	Long term - systemic effects, general population	15 mg/kg bw/day (general population)
Dermal	Long-term - systemic effects, worker	2.750 mg/kg bw/day (worker)
	Long-term - local effects, worker	0,132 mg/cm ² (worker)
	Long term - systemic effects, general population	1.650 mg/kg bw/day (general population)
Inhalative	Long term - local effects, general population	0,079 mg/cm ² (general population)
	Long-term - systemic effects, worker	175 mg/m ³ (worker)
	Long term - systemic effects, general population	52 mg/m ³ (general population)

25265-71-8 oxydipropanol

Oral	Long term - systemic effects, general population	24 mg/kg bw/day (general population)
Dermal	Long term - systemic effects, general population	51 mg/kg bw/day (general population)
		84 mg/kg bw/day (worker)
Inhalative	Long-term - systemic effects, worker	238 mg/m ³ (worker)
	Long term - systemic effects, general population	70 mg/m ³ (general population)

107-21-1 ethanediol

Dermal	Long-term - systemic effects, worker	106 mg/kg bw/day (worker)
	Long term - systemic effects, general population	53 mg/kg bw/day (general population)
Inhalative	Long-term - local effects, worker	35 mg/m ³ (worker)
	Long term - local effects, general population	7 mg/m ³ (general population)

· PNECs**97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salt**

Aquatic compartment - freshwater	0,04 mg/l (Sweet Water / Süßwasser)
Aquatic compartment - marine water	0,004 mg/l (marine water)
Aquatic compartment - water, intermittent releases	0,06 mg/l (intermittent release water)
Aquatic compartment - sediment in freshwater	9,4 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment in marine water	0,94 mg/kg sed dw (sediment marine water)

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 5)

Terrestrial compartment - soil sewage treatment plant Oral secondary poisoning	9,4 mg/kg dw (soil) 600 mg/l (sewage treatment plant) 53,3 mg/kg food (food sec poisoning)
68891-38-3 Alcohols, C12-14 (even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	
Aquatic compartment - freshwater Aquatic compartment - marine water Aquatic compartment - water, intermittent releases Aquatic compartment - sediment in freshwater Aquatic compartment - sediment in marine water Terrestrial compartment - soil sewage treatment plant	0,24 mg/l (freshwater) 0,024 mg/l (marine water) 0,071 mg/l (intermittent release water) 0,917 mg/kg sed dw (sediment fresh water) 0,0917 mg/kg sed dw (sediment marine water) 7,5 mg/kg dw (soil) 10.000 mg/l (sewage treatment plant)
25265-71-8 oxydipropanol	
Aquatic compartment - freshwater Aquatic compartment - marine water Aquatic compartment - water, intermittent releases Aquatic compartment - sediment in freshwater Aquatic compartment - sediment in marine water Terrestrial compartment - soil sewage treatment plant Oral secondary poisoning	0,1 mg/l (freshwater) 0,01 mg/l (marine water) 1 mg/l (intermittent release water) 0,238 mg/kg sed dw (sediment fresh water) 0,024 mg/kg sed dw (sediment marine water) 0,025 mg/kg dw (soil) 1.000 mg/l (sewage treatment plant) 313 mg/kg food (food sec poisoning)
107-21-1 ethanediol	
Aquatic compartment - freshwater Aquatic compartment - marine water Aquatic compartment - water, intermittent releases Aquatic compartment - sediment in freshwater Aquatic compartment - sediment in marine water Terrestrial compartment - soil sewage treatment plant	10 mg/l (Sweet Water / Süßwasser) 1 mg/l (marine water) 10 mg/l (intermittent release water) 20,9 mg/kg sed dw (sediment fresh water) 1 mg/kg sed dw (sediment marine water) 1,53 mg/kg dw (soil) 199,5 mg/l (sewage treatment plant)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

· **Respiratory protection:** Not required.

· **Hand protection** Protective gloves

· **Material of gloves**

Butyl rubber

Recommended material thickness: $\geq 0.3\text{mm}$

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 7)

DE-EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 6)

- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

- | | |
|---|--|
| · Physical state | Fluid |
| · Colour: | Green |
| · Odour: | Characteristic |
| · Odour threshold: | No further relevant information available. |
| · Melting point/freezing point: | No further relevant information available. |
| · Boiling point or initial boiling point and boiling range | No further relevant information available. |
| · Flammability | Not applicable. |
| · Lower and upper explosion limit | |
| · Lower: | Not applicable. |
| · Upper: | Not applicable. |
| · Flash point: | >100 °C |
| · Auto-ignition temperature: | No further relevant information available. |
| · Decomposition temperature: | No further relevant information available. |
| · pH at 20 °C | 7 (DIN 19268) |
| · Viscosity: | |
| · Kinematic viscosity | No further relevant information available. |
| · Dynamic: | No further relevant information available. |
| · Solubility | |
| · water: | Fully miscible. |
| · Partition coefficient n-octanol/water (log value) | Does not apply to mixtures. |
| · Vapour pressure: | No further relevant information available. |
| · Density and/or relative density | |
| · Density at 20 °C: | 1,022-1,037 g/cm ³ (DIN 51757) |
| · Relative density | No further relevant information available. |
| · Vapour density | No further relevant information available. |

· 9.2 Other information

- | | |
|--------------------------------|---|
| · Appearance: | |
| · Form: | Liquid |
| · Ignition temperature: | Product is not selfigniting. |
| · Explosive properties: | Product does not present an explosion hazard. |
| · Molecular formula | |
| · Oxidising properties | No further relevant information available. |
| · Evaporation rate | No further relevant information available. |

· Information with regard to physical hazard classes

- | | |
|--|------|
| · Explosives | Void |
| · Flammable gases | Void |
| · Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| · Flammable liquids | Void |
| · Flammable solids | Void |
| · Self-reactive substances and mixtures | Void |

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 7)

· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salt

Oral	LD50	> 500-2.000 mg/kg (rat) (OECD 401)
	NOAEL	200 mg/kg (rat)
Dermal	LD50	> 2.000 mg/kg (mouse)

68891-38-3 Alcohols, C12-14 (even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts

Oral	LD50	2.870 mg/kg (rat) (OECD 401)
	NOAEL	300 mg/kg (rat) (OECD 408) 90 d
Dermal	LD50	> 2.000 mg/kg (rat) (OECD 402)

25265-71-8 oxydipropanol

Oral	LD50	> 5.000 mg/kg (rat)
Dermal	LD50	> 5.010 mg/kg (rabbit)
Inhalative	LD50/4h	> 2,34 mg/l (rat)

5989-27-5 (R)-p-mentha-1,8-diene

Oral	LD50	> 2.000 mg/kg (rat)
Dermal	LD50	> 5.000 mg/kg (rabbit)

107-21-1 ethanediol

Oral	LD50	7.712 mg/kg (rat)
Dermal	LD50	> 3.500 mg/kg (mouse)
Inhalative	LC50/6 h	> 2,5 mg/l (rat)

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 8)

106-22-9 dl-Citronellol

Oral	LD50	3.450 mg/kg (rat)
Dermal	LD50	2.650 mg/kg (rabbit)

99-87-6 p-cymene

Inhalative	LC50/4 h	3 mg/l (ATE)
------------	----------	--------------

106-23-0 Citronellal

Oral	LD50	2.420 mg/kg (rat)
Dermal	LD50	>2.500 mg/kg (rabbit)

2682-20-4 2-methyl-2H-isothiazol-3-one

Oral	LD50	391 mg/kg (rat)
Dermal	LD50	326 mg/kg (rabbit)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information· **12.1 Toxicity**· **Aquatic toxicity:****97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salt**

NOEC	600 mg/l (<i>Pseudomonas putida</i>) (DIN 38412 T.8)
	0,36 mg/l (<i>Daphnia magna</i>) (OECD 202)
	22 d
NOEC 28 d	0,85 mg/l (<i>Oncorhynchus mykiss</i>) (OECD 204)
NOEC 56 d	470 mg/l (<i>Eisenia foetida</i>) (OECD 222)
LC50/96 h	1-10 mg/l (<i>Danio rerio</i>) (OECD 203)
EC50/48 h	9,81 mg/l (<i>Daphnia magna</i>) (OECD 202)
EC50/72 h	>61 mg/l (<i>Desmodesmus subspicatus</i>) (OECD 201)

68891-38-3 Alcohols, C12-14 (even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts

NOEC 28 d	0,14 mg/l (<i>Oncorhynchus mykiss</i>) (OECD 215)
NOEC 21 d	0,27 mg/l (<i>Daphnia magna</i>) (OECD 211)
NOEC 72 h	0,95 mg/l (<i>Scenedesmus subspicatus</i>) (OECD 201)
LC50/96 h	7,1 mg/l (bra) (OECD 203)
EC50/48 h	7,4 mg/l (<i>Daphnia magna</i>) (OECD 202)
EC50/72 h	27,7 mg/l (<i>Scenedesmus subspicatus</i>) (OECD 201)

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 9)

25265-71-8 oxydipropanol

EC10	>1.000 mg/l (<i>Pseudomonas putida</i>) 18 h
LC50/96 h	1.000-46.500 mg/l (fish)
EC50/48 h	>100 mg/l (<i>Daphnia magna</i>)
EC50/72 h	>100 mg/l (<i>Desmodemus subspicatus</i>) (OECD 201)

107-21-1 ethanediol

NOEC	8.590 mg/l (<i>Ceriodaphnia dubia</i>) 7 d
	15.380 mg/l (<i>Pimephlas promelas</i>) 7 d
EC20	>1.995 mg/l (bel) (ISO 8192) 0,5 h
LC50/96 h	72.860 mg/l (<i>Pimephlas promelas</i>)
EC50	10.000 mg/l (<i>Pseudomonas putida</i>)
EC50/48 h	>100 mg/l (<i>Daphnia magna</i>) (OECD 202)
EC50/96 h	6.500-13.000 mg/l (<i>Selenastrum capricornutum</i>)

2682-20-4 2-methyl-2H-isothiazol-3-one

NOEC 21 d	0,04 mg/l (<i>Daphnia magna</i>)
LC50/96 h	4,77 mg/l (<i>Oncorhynchus mykiss</i>)
EC50/48 h	0,93-1,9 mg/l (<i>Daphnia magna</i>)
EC50/3h	34,6 mg/l (bel) (DIN 38412-3)
EC50/72 h	0,158 mg/l (<i>Selenastrum capricornutum</i>)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 11)

DE-EU

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 10)

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.**SECTION 14: Transport information**

- **14.1 UN number or ID number**
· **ADR, IMDG, IATA** Void
- **14.2 UN proper shipping name**
· **ADR, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**
· **ADR, ADN, IMDG, IATA**
· **Class** Void
- **14.4 Packing group**
· **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:** Not applicable.
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **UN "Model Regulation":** Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**· **Other regulations, limitations and prohibitive regulations**

822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind zu beachten.

ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft sind zu beachten.

(Contd. on page 12)

DE-EU

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 11)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**

- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· **Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· **Department issuing SDS:** Department R&D· **Contact:** Department R&D· **Date of previous version:** 11.06.2024· **Version number of previous version:** 1· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

(Contd. on page 13)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.06.2024

Version number 2 (replaces version 1)

Revision: 11.06.2024

Trade name: PP300

(Contd. of page 12)

Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Skin Sens. 1B: Skin sensitisation – Category 1B
Repr. 2: Reproductive toxicity – Category 2
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· Sources*(EC) No 1907/2006 (REACH) as amended.**(EC) No. 1272/2008 (CLP) in the valid version**Guidance on the compilation of safety data sheets as amended (ECHA)**Guidance on labelling and packaging according to Regulation (EC) No 1272/2008 (CLP) as amended (ECHA)**Safety data sheets of the ingredients**ECHA homepage - Information on chemicals***· * Data compared to the previous version altered.**

DE-EU