

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** FT500
- **Article number:** 6567XX
- **UFI:** ESG4-50FN-2005-R2SH
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Hydrophobing agent/ water repellent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Chemische Fabrik Dr. Stöcker GmbH & Co. KG
Gewerbstrasse 19-25
D-55546 Pfaffen-Schwabenheim
+49 (0)6701 911780
- **Further information obtainable from:**
Safety Department
sicherheit@dr-stoecker.de
- **1.4 Emergency telephone number:**
INTERNATIONAL: +49 (0) 6132 / 84463 (GBK Gefahrgut Büro GmbH, Ingelheim)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Eye Dam. 1 H318 Causes serious eye damage.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**
Isotridecylalcohol, ethoxylated
1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, esters with fatty acids, C18 unsatd., Me sulfates (salts)
- **Hazard statements**
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
P273 Avoid release to the environment.
P280 Wear eye protection / face protection.
P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
- **Additional information:**
EUH208 Contains (Z)-3-methyl-5-phenylpent-2-enenitrile. May produce an allergic reaction.

(Contd. on page 2)

DE-EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

Trade name: FT500

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

EC number: 931-333-8 Reg.nr.: 01-2119489410-39	<i>1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-(C8-18 and C18-unsatd.) acylderivs., hydroxides, inner salts</i> <i>Eye Dam. 1, H318; Aquatic Chronic 3, H412</i> <i>Specific concentration limits:</i> <i>Eye Dam. 1; H318: C ≥ 10 %</i> <i>Eye Irrit. 2; H319: 4 % ≤ C < 10 %</i>	≥4-<10%
CAS: 9043-30-5	<i>Isotridecylalcohol, ethoxylated</i> <i>Eye Dam. 1, H318; Acute Tox. 4, H302</i>	5-10%
CAS: 519142-86-0	<i>Silicone Quaternium-17</i> <i>Aquatic Chronic 2, H411, EUH210</i>	≥2,5-≤10%
EC number: 939-685-4 Reg.nr.: 01-2119983493-26	<i>1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, esters with fatty acids, C18 unsatd., Me sulfates (salts)</i> <i>Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412</i>	≥2,5-<3%
CAS: 53243-59-7 EINECS: 258-446-9	<i>(Z)-3-methyl-5-phenylpent-2-enenitrile</i> <i>Acute Tox. 4, H302; Skin Sens. 1A, H317; Aquatic Chronic 3, H412</i>	≥0-<0,1%
CAS: 556-67-2 EINECS: 209-136-7 Reg.nr.: 01-2119529238-36	<i>octamethylcyclotetrasiloxane</i> <i>Flam. Liq. 3, H226; Repr. 2, H361f; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=10)</i> <i>PBT; vPvB</i>	≥0,0025-<0,025%

- **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

<i>amphoteric surfactants, non-ionic surfactants</i>	≥5 - <15%
<i>cationic surfactants</i>	<5%
<i>perfumes, preservation agents (PHENOXYETHANOL, BENZISOTHAZOLINONE)</i>	

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Seek immediate medical advice.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

Trade name: FT500

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
Carbon monoxide (CO)
Nitrogen oxides (NO_x)
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
In case of seepage into the ground inform responsible authorities.
Dilute with plenty of water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Open and handle receptacle with care.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store receptacle in a well ventilated area.
Protect from frost.
Protect from heat and direct sunlight.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

DE-EU

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

Trade name: FT500

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-(C8-18 and C18-unsatd.) acylderivs., hydroxides, inner salts

Oral	Long term - systemic effects, general population	7,5 mg/kg bw/day (general population)
Dermal	Long-term - systemic effects, worker	12,5 mg/kg bw/day (worker)
	Long term - systemic effects, general population	7,5 mg/kg bw/day (general population)
Inhalative	Long-term - systemic effects, worker	44 mg/m3 (worker)

1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, esters with fatty acids, C18 unsatd., Me sulfates (salts)

Oral	Long term - systemic effects, general population	1,25 mg/kg bw/day (general population)
Dermal	Long-term - systemic effects, worker	112,5 mg/kg bw/day (worker)
	Long term - systemic effects, general population	56,25 mg/kg bw/day (general population)
Inhalative	Long-term - systemic effects, worker	8,72 mg/m3 (worker)
	Long term - systemic effects, general population	2,17 mg/m3 (general population)

556-67-2 octamethylcyclotetrasiloxane

Oral	Long term - systemic effects, general population	3,7 mg/kg bw/day (general population)
Inhalative	Long-term - systemic effects, worker	73 mg/m3 (worker)
	Long-term - local effects, worker	73 mg/m3 (worker)
	Long term - systemic effects, general population	13 mg/m3 (general population)
	Long term - local effects, general population	13 mg/m3 (general population)

· **PNECs**

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-(C8-18 and C18-unsatd.) acylderivs., hydroxides, inner salts

Aquatic compartment - freshwater	0,0135 mg/l (freshwater)
Aquatic compartment - marine water	0,0014 mg/l (marine water)
Aquatic compartment - sediment in freshwater	1 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment in marine water	0,1 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil	0,8 mg/kg dw (soil)
sewage treatment plant	3.000 mg/l (sewage treatment plant)

1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, esters with fatty acids, C18 unsatd., Me sulfates (salts)

Aquatic compartment - freshwater	0,017 mg/l (freshwater)
Aquatic compartment - marine water	0,002 mg/l (marine water)
Aquatic compartment - sediment in freshwater	1,7 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment in marine water	0,17 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil	0,331 mg/kg dw (soil)
sewage treatment plant	10 mg/l (sewage treatment plant)

(Contd. on page 5)

DE-EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

Trade name: FT500

(Contd. of page 4)

556-67-2 octamethylcyclotetrasiloxane

Aquatic compartment - freshwater	0,0015 mg/l (freshwater)
Aquatic compartment - marine water	0,00015 mg/l (marine water)
Aquatic compartment - sediment in freshwater	3 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment in marine water	0,3 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil	0,54 mg/kg dw (soil)
sewage treatment plant	10 mg/l (sewage treatment plant)
Oral secondary poisoning	41 mg/kg food (food sec poisoning)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Do not eat, drink, smoke or sniff while working.

· **Respiratory protection:** Not required.

· **Hand protection** Not required.

· **Material of gloves** Nitrile rubber, NBR

· **Eye/face protection** Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Yellowish

· **Odour:**

Characteristic

· **Odour threshold:**

No further relevant information available.

· **Melting point/freezing point:**

No further relevant information available.

· **Boiling point or initial boiling point and boiling range**

100 °C

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

No further relevant information available.

· **Upper:**

No further relevant information available.

· **Flash point:**

>100 °C

· **Auto-ignition temperature:**

No further relevant information available.

· **Decomposition temperature:**

No further relevant information available.

· **pH at 20 °C**

3,5-4,5 (DIN 19268)

· **Viscosity:**

· **Kinematic viscosity**

No further relevant information available.

Dynamic:

No further relevant information available.

· **Solubility**

· **water:**

Fully miscible.

· **Partition coefficient n-octanol/water (log value)**

Does not apply to mixtures.

· **Vapour pressure at 20 °C:**

23 hPa (7732-18-5 water, distilled, conductivity or of similar purity)

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

Trade name: FT500

(Contd. of page 5)

- **Density and/or relative density**
- **Density at 20 °C:** 1,01-1,025 g/cm³ (DIN 51757)
- **Relative density** No further relevant information available.
- **Vapour density** No further relevant information available.
- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Molecular formula**
- **Oxidising properties** No further relevant information available.
- **Evaporation rate** No further relevant information available.
- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** oxidizing agent
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

DE-EU

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

Trade name: FT500

(Contd. of page 6)

· LD/LC50 values relevant for classification:**1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-(C8-18 and C18-unsatd.) acyllderivs., hydroxides, inner salts**

Oral	LD50	2.430 mg/kg (rat)
Dermal	LD50	>5.000 mg/kg (rat)

9043-30-5 Isotridecylalcohol, ethoxylated

Oral	LD50	500 mg/kg (rat)
	ATE	556 mg/kg (rat)
Dermal	LD50	>2.000 mg/kg (rabbit)
	EC50/72 h	>1-10 mg/l (<i>Desmodesmus subspicatus</i>) (OECD 201)

519142-86-0 Silicone Quaternium-17

	EC50/72 h	>5 mg/l (<i>Desmodesmus subspicatus</i>) (Algal inhibition test)
--	-----------	--

1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, esters with fatty acids, C18 unsatd., Me sulfates (salts)

Oral	LD50	>2.000 mg/kg (rat) (OECD 402)
	NOAEL	>500 mg/kg (rat)
Dermal	LD50	>2.000 mg/kg (rat)

556-67-2 octamethylcyclotetrasiloxane

Oral	LD50	4.800 mg/kg (rat) (OECD 401)
Dermal	LD50	>2.375 mg/kg (rat) (OECD 402)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** No further relevant information available.
- **Additional toxicological information:**
- **Repeated dose toxicity** No further relevant information available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
No further relevant information available.
- **11.2 Information on other hazards**

· Endocrine disrupting properties

556-67-2	octamethylcyclotetrasiloxane	List II; III
540-97-6	Dodecamethylcyclohexasiloxane	List II
541-02-6	Decamethylcyclopentasiloxane	List II

DE-EU

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

Trade name: FT500

(Contd. of page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-(C8-18 and C18-unsatd.) acylderivs., hydroxides, inner salts

NOEC	0,1-1 mg/l (<i>Oncorhynchus mykiss</i>)
NOEC 21 d	0,3 mg/l (<i>Daphnia magna</i>)
LC50/96 h	>1-10 mg/l (fish)
EC50/48 h	1,9 mg/l (<i>Daphnia magna</i>)
EC50/72 h	>1-10 mg/l (<i>Scenedesmus subspicatus</i>)

9043-30-5 Isotridecylalcohol, ethoxylated

NOEC 21 d	2,48-3,76 mg/l (<i>Daphnia magna</i>) (CESIO)
LC50/96 h	>1-10 mg/l (<i>Cyprinus carpio</i>) (OECD 203)
EC50/48 h	>1-10 mg/l (<i>Daphnia magna</i>) (OECD 202)

519142-86-0 Silicone Quaternium-17

LC50/96 h	>10-100 mg/l (<i>Danio rerio</i>)
EC50	>1.000 mg/l (bel) (OECD 209)
EC50/48 h	>10-100 mg/l (<i>Daphnia magna</i>) (OECD 202)

1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, esters with fatty acids, C18 unsatd., Me sulfates (salts)

NOEC 21 d	1 mg/l (<i>Daphnia magna</i>) (analogy)
NOEC 72 h	0,39 mg/l (<i>Pseudokirchneriella subcapitata</i>) (OECD 201)
NOEC 35 d	0,686 mg/l (<i>Pimephlas promelas</i>) (analogy)
LC50/96 h	>10 mg/l (<i>Cyprinus carpio</i>)
EC50	100 mg/l (bel) 6 d
EC50/48 h	>8,6 mg/l (<i>Daphnia magna</i>)
EC50/72 h	1,2 mg/l (<i>Pseudokirchneriella subcapitata</i>) (OECD 201)

556-67-2 octamethylcyclotetrasiloxane

NOEC	≥0,0044 mg/l (<i>Oncorhynchus mykiss</i>) 93 d
NOEC 21 d	>0,0015 mg/l (<i>Daphnia magna</i>)
EC10	≥0,022 mg/l (<i>Pseudokirchneriella subcapitata</i>) 96 h
LC50/96 h	>0,022 mg/l (<i>Oncorhynchus mykiss</i>)
EC50/48 h	0,015 mg/l (<i>Daphnia magna</i>)
EC50/3h	>10.000 mg/l (bel) (ISO 8192)
EC50/96 h	>0,022 mg/l (<i>Pseudokirchnerella subcapitata</i>)

· 12.2 Persistence and degradability

1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, esters with fatty acids, C18 unsatd., Me sulfates (salts)

OECD 301 F	>60 % () 28 d
------------	-------------------

· 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

Trade name: FT500

(Contd. of page 8)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
 The product does not contain organically bounded halogens (AOX-free).
 The product does not contain organic complexing agents.
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· European waste catalogue	
07 06 04*	other organic solvents, washing liquids and mother liquors
15 01 10*	packaging containing residues of or contaminated by hazardous substances

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|---|-----------------|
| · 14.1 UN number or ID number | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es) | Void |
| · ADR, ADN, IMDG, IATA | Void |
| · Class | Void |
| · 14.4 Packing group | Void |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | Void |

DE-EU

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

Trade name: FT500

(Contd. of page 9)

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 70

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**

822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind zu beachten.

ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft sind zu beachten.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH210 Safety data sheet available on request.

(Contd. on page 11)

DE-EU

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.07.2024

Version number 10 (replaces version 9)

Revision: 03.07.2024

Trade name: FT500

(Contd. of page 10)

· **Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· **Department issuing SDS:** Department R&D

· **Contact:** Department R&D

· **Version number of previous version:** 9

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Repr. 2: Reproductive toxicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **Sources**

(EC) No 1907/2006 (REACH) as amended.

(EC) No. 1272/2008 (CLP) in the valid version

Guidance on the compilation of safety data sheets as amended (ECHA)

Guidance on labelling and packaging according to Regulation (EC) No 1272/2008 (CLP) as amended (ECHA)

Safety data sheets of the ingredients

ECHA homepage - Information on chemicals